

REGOLAMENTO 1907/2006/CE "REACH"
REGULATION 1907/2006/CE "REACH"

Concernente la registrazione, la valutazione, l'autorizzazione e la restrizione delle sostanze chimiche
Concerning registration, evaluation, authorization and restriction of chemicals
(REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

SAF srl, dichiara, relativamente all'adempimento agli obblighi previsti dal Regolamento Europeo REACH, che in quanto utilizzatore a valle di sostanze, miscele e articoli e produttore di articoli non destinati a rilasciare sostanze durante l'uso prevedibile, non è sottoposta agli obblighi di preregistrazione e registrazione di sostanze previsti per i produttori e importatori di sostanze e di articoli destinati a rilasciare sostanze durante l'uso.

SAF srl declares, in relation to the fulfillment of the obligations established by the European REACH Regulation, that as a downstream user of substances, mixtures and articles and producer of articles not intended to release them during foreseeable use, it is not subject to the obligations of pre-registration and registration of substances intended for producers and importers of substances and articles intended to release them during use.

SAF srl si è pertanto adoperata per adempiere agli obblighi che le competono, ossia:

SAF srl has therefore made every effort to fulfill its obligations, namely:

- verificare presso i propri fornitori se gli articoli forniti contengano sostanze SVHC della "candidate list" al di sopra della soglia di legge (0,1%p/p).
check with its suppliers whether the articles supplied contain SVHC substances from the "candidate list" above the legal threshold (0.1% w/w).
- verificare presso i propri fornitori che tutte le sostanze come tal quali o presenti in miscele soggette a REACH siano state da loro (o da soggetti a monte) registrate o pre-registrate secondo REACH.
check with their suppliers that all substances as such or present in mixtures subject to REACH have been registered by them (or by upstream subjects) or pre-registered according to REACH.
- verificare che le sostanze impiegate nella fabbricazione dei propri prodotti siano utilizzate nell'ambito delle condizioni d'uso previste per tali sostanze come tal quali o contenute in miscele.
verify that the substances used in the manufacture of its products are used within the conditions of use provided for such substances as such or contained in mixtures.
- in caso di inadempienza relativa ad uno dei punti precedenti da parte di un fornitore, trovare valide alternative conformi a REACH in modo di garantire la continuità delle forniture.
in the event of a supplier failing to comply with one of the previous points, find valid alternatives compliant with REACH in order to guarantee continuity of supplies.
- sulla base delle informazioni ricevute a valutare l'eventuale presenza di sostanze SVHC nei prodotti forniti al cliente.
based on the information received to evaluate the possible presence of SVHC substances in the products supplied to the customer.

SAF srl garantisce pertanto la continuità di fornitura riguardo ai prodotti da Voi acquistati e a tutti i prodotti a proprio catalogo e dichiara che essi ottemperano al Regolamento REACH.

SAF srl therefore guarantees the continuity of supply regarding the products you have purchased and all the products in its catalog and declares that they comply with the REACH Regulation.

Sulla base delle conoscenze attualmente in nostro possesso, in uno o più dei componenti di cui sono costituiti alcuni degli articoli immessi sul mercato da SAF srl, possono essere contenute, in concentrazione superiore allo 0.1% in peso, una o più delle sostanze incluse nella Candidate List delle sostanze SVHC aggiornata da ECHA periodicamente e consultabile sul sito:

Following the knowledge currently in our possession, one or more of the components which compose some of the articles placed on the market by SAF srl, can contain in concentrations higher than 0.1% by weight, one or more substances included in the Candidate List of SVHC substances updated by ECHA periodically and available on the website:

<https://echa.europa.eu/candidate-list-table>.

Di seguito, in accordo con l'art. 9 della Direttiva 2008/98/CE, come modificato dalla Direttiva 2018/851/UE, si riporta l'elenco delle notifiche effettuate con l'indicazione delle sostanze SVHC conosciute, contenute negli articoli immessi sul mercato, aggiornata alla data odierna sulla base della recente revisione da parte di ECHA della lista delle sostanze (SVHC-233):

Below, in accordance with art. 9 of Directive 2008/98/EC, as amended by Directive 2018/851/EU, the list of notifications made with the indication of known SVHC substances contained in the articles placed on the market is shown, updated at today based on the ECHA's revision of the list of substances (SVHC-233):

SCIP number <i>SCIP number</i>	Descrizione <i>Description</i>	Articolo <i>Item</i>	Sostanza SVHC <i>SVHC substance</i>
7c6697e5-dae-459f-8110-43c96a7c33a0	ARTICOLAZIONE A SQUADRA IN ACCIAIO (CATAFORESI NERA) CON VITI <i>REAR 90° HINGE IN STEEL (BLACK CATAPHORESIS) WITH SCREWS</i>	ASV..AISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 80-05-7 Bisfenolo A 0,3-1% CAS: 7439-92-1 Lead 1-10% CAS: 80-05-7 Bisphenol A 0,3-1%
ffd0d0b7-cf53-4069-9198-a4a0211e924d	ARTICOLAZIONE A SQUADRA IN ALLUMINIO CON VITI <i>REAR 90° HINGE IN ALUMINIUM WITH SCREWS</i>	ASV..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
ffd0d0b7-cf53-4069-9198-a4a0211e924d	ARTICOLAZIONE A SQUADRA PER FORCELLE IN ALLUMINIO CON VITI <i>REAR 90° HINGE IN ALUMINIUM FOR CLEVIS WITH SCREWS</i>	ASF..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
82193661-2a8c-4595-a1cc-7b9ee97bb2d2	ARTICOLAZIONE A SQUADRA CON SNODO IN ACCIAIO (CATAFORESI NERA) <i>REAR ROD-EYE HINGE IN STEEL (BLACK CATAPHORESIS) WITH SCREWS</i>	ASS..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 80-05-7 Bisfenolo A 0,3-1% CAS: 7439-92-1 Lead 1-10% CAS: 80-05-7 Bisphenol A 0,3-1%
f7ad4285-65c0-4e77-b1b2-c7dc9d64e82f	CERNIERA INTERMEDIA ROTONDA REGOLABILE IN ACCIAIO <i>ROUND ADJUSTABLE CENTER TRUNNION IN STEEL</i>	CT..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
f7ad4285-65c0-4e77-b1b2-c7dc9d64e82f	CERNIERA INTERMEDIA ROTONDA FILETTATA IN ACCIAIO <i>ROUND THREADED CENTER TRUNNION IN STEEL</i>	CTN..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
f7ad4285-65c0-4e77-b1b2-c7dc9d64e82f	CERNIERA PER TESTATE IN ACCIAIO <i>HEADS TRUNNION IN STEEL</i>	CTA..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
5f65e77f-c293-4b0e-9c44-760122cee413	CERNIERA FEMMINA IN ALLUMINIO CON VITI <i>REAR FEMALE CLEVIS IN ALUMINIUM WITH SCREWS</i>	CF..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
5f65e77f-c293-4b0e-9c44-760122cee413	CERNIERA FEMMINA STRETTA IN ALLUMINIO CON VITI <i>NARROW REAR FEMALE CLEVIS IN ALUMINIUM WITH SCREWS</i>	CFS..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
217335f0-8b60-413c-81b0-de53654b2a55	CERNIERA FEMMINA IN ACCIAIO (CATAFORESI NERA) CON VITI <i>REAR FEMALE CLEVIS IN STEEL (BLACK CATAPHORESIS) WITH SCREWS</i>	CF..AISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 80-05-7 Bisfenolo A 0,3-1% CAS: 7439-92-1 Lead 1-10% CAS: 80-05-7 Bisphenol A 0,3-1%
217335f0-8b60-413c-81b0-de53654b2a55	CERNIERA FEMMINA STRETTA IN ACCIAIO (CATAFORESI NERA) CON VITI <i>NARROW REAR FEMALE CLEVIS IN STEEL (BLACK CATAPHORESIS) WITH SCREWS</i>	CFS..AISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 80-05-7 Bisfenolo A 0,3-1% CAS: 7439-92-1 Lead 1-10% CAS: 80-05-7 Bisphenol A 0,3-1%
217335f0-8b60-413c-81b0-de53654b2a55	CERNIERA MASCHIO IN ACCIAIO (CATAFORESI NERA) CON VITI <i>REAR MALE EYE IN STEEL (BLACK CATAPHORESIS) WITH SCREWS</i>	CM..AISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 80-05-7 Bisfenolo A 0,3-1% CAS: 7439-92-1 Lead 1-10% CAS: 80-05-7 Bisphenol A 0,3-1%

SCIP number <i>SCIP number</i>	Descrizione <i>Description</i>	Articolo <i>Item</i>	Sostanza SVHC <i>SVHC substance</i>
98eab5ce-e5d2-4296-863e-2a8f48907950	CERNIERA FEMMINA IN ALLUMINIO CON VITI E PERNO <i>REAR FEMALE CLEVIS IN ALUMINIUM WITH SCREWS AND PIN</i>	CF..ISOVP	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
98eab5ce-e5d2-4296-863e-2a8f48907950	CERNIERA FEMMINA STRETTA IN ALLUMINIO CON VITI E PERNO <i>NARROW REAR FEMALE CLEVIS IN ALUMINIUM WITH SCREWS AND PIN</i>	CFS..ISOVP	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
5f65e77f-c293-4b0e-9c44-760122cee413	CERNIERA MASCHIO IN ALLUMINIO CON VITI <i>REAR MALE EYE IN ALUMINIUM WITH SCREWS</i>	CM..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
5f65e77f-c293-4b0e-9c44-760122cee413	CERNIERA FEMMINA ANTERIORE IN ALLUMINIO CON VITI <i>FRONT FEMALE CLEVIS IN ALUMINIUM WITH SCREWS</i>	CFA..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
6619c0c3-6c39-4236-b92c-638e487da498	CERNIERA MASCHIO STRETTA IN ACCIAIO (CATAFORESIS NERA) CON VITI <i>NARROW REAR MALE EYE IN STEEL (BLACK CATAPHORESIS) WITH SCREWS</i>	CMS..AISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 80-05-7 Bisfenolo A 0,3-1% CAS: 7439-92-1 Lead 1-10% CAS: 80-05-7 Bisphenol A 0,3-1%
a78e6de4-4a9c-4fbd-a2d0-b8cdfd0ed2be	CERNIERA MASCHIO STRETTA IN ALLUMINIO CON VITI <i>REAR MALE EYE IN ALUMINIUM WITH SCREWS</i>	CMS..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
5a35fd33-affb-4de8-aafa-d8b55312849b	COLLETTORI <i>COLLECTORS</i>	CLX., CLY., CLZ., CLR..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
43d4f023-e345-47cd-bbcd-bae55ff53195	FILTRI IN LINEA <i>IN-LINE FILTERS</i>	FLFF.. FLMF..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
43d4f023-e345-47cd-bbcd-bae55ff53195	REGOLATORI SILENZIATI IN BRONZO SINTERIZZATO E OTTONE NICHELATO <i>SILENCED REGULATORS IN SINTERED BRONZE AND NICKEL-PLATED BRASS</i>	R04., R05..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
f69fabbb-5896-409d-8fc0-94ab2d0c2570	FLANGIA ISO ALLUMINIO <i>ISO FLANGE IN ALUMINIUM</i>	FLV..ISOV	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
f4fd984c-a700-4841-9032-e3c612ee8994	FLANGIA ISO IN ACCIAIO <i>ISO FLANGE IN STEEL</i>	FLV..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
7d2cb0a7-9280-41e4-9a2a-14c723dad913	PERNO IN ACCIAIO <i>PIN IN STEEL</i>	SEC..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
7d2cb0a7-9280-41e4-9a2a-14c723dad913	PERNO ANTIROTAZIONE IN ACCIAIO <i>ANTI-ROTATING PIN IN STEEL</i>	SECAR..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
b3284236-3d47-47d4-887f-d6d6b9fb90b1	PIEDINO BASSO IN ACCIAIO <i>LOW FOOT IN STEEL</i>	PB..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
18f2ff89-88aa-4c9a-a388-6c15a42d0a5d	RACCORDI AD INNESTO RAPIDO <i>PUSH-IN FITTINGS</i>	RR..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
18f2ff89-88aa-4c9a-a388-6c15a42d0a5d	RACCORDI A CALZAMENTO <i>RAPID FITTINGS</i>	RC..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
18f2ff89-88aa-4c9a-a388-6c15a42d0a5d	RACCORDI STANDARD <i>STANDARD FITTINGS</i>	RMF1..., MMF1..., RMF2	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
18f2ff89-88aa-4c9a-a388-6c15a42d0a5d	PROLUNGA PER SERBATOI <i>MALE/FEMALE ADAPTER</i>	SB..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%

SCIP number <i>SCIP number</i>	Descrizione <i>Description</i>	Articolo <i>Item</i>	Sostanza SVHC <i>SVHC substance</i>
e062ea57-2a6f-4e1c-ac24-68ea216931b6	REGOLATORI DI FLUSSO UNIDIREZIONALI E BIDIREZIONALI <i>UNIDIRECTIONALS AND BIDIRECTIONALS FLOW- REGULATORS</i>	RFB.. RFU..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
e062ea57-2a6f-4e1c-ac24-68ea216931b6	VALVOLE A MANICOTTO <i>SLIDE VALVES</i>	VM..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
ec6f530f-aa8f-4b3f-8160-8b37698da02c	REGOLATORI DI FLUSSO UNIDIREZIONALI <i>UNIDIRECTIONALS FLOW-REGULATORS</i>	RFUP..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
a3c43ccb-6122-4b02-969f-31937be1c5be	REGOLATORI SILENZIATI IN BRONZO SINTERIZZATO E OTTONE <i>SILENCED REGULATORS IN SINTERED BRONZE AND BRASS</i>	R01.., R02.. R03..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
51a16af9-21cf-4c43-9953-10ba451c216d	SILENZIATORI IN BRONZO SINTERIZZATO CON NIPPOLO IN OTTONE <i>SILENCERS IN SINTERED BRONZE WITH BRASS NIPPLE</i>	S01.., S02.. S03.., S04.. S07.., S08.. S09.., S10.. S12..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
51a16af9-21cf-4c43-9953-10ba451c216d	SILENZIATORI IN ACCIAIO INOX AISI 304 CON NIPPOLO IN OTTONE <i>SILENCERS IN STAINLESS STEEL AISI 304 WITH BRASS NIPPLE</i>	S11..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
51a16af9-21cf-4c43-9953-10ba451c216d	SILENZIATORI IN ACCIAIO INOX AISI 304 CON NIPPOLO IN OTTONE NICHELATO <i>SILENCERS IN STAINLESS STEEL AISI 304 WITH BRASS NIPPLE</i>	S11..N	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
89633740-9d4c-49eb-83ab-16eb7fc98d5b	SILENZIATORI IN ACCIAIO <i>SILENCERS IN STEEL</i>	S21..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
c11abc98-30b3-4b79-8b3c-5039bab33ca	SILENZIATORI IN BRONZO SINTERIZZATO CON NIPPOLO IN ACCIAIO RAMATO <i>SILENCERS IN SINTERED BRONZE WITH NIPPLE IN COPPER-PLATED STEEL</i>	S05.., S15..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
9e1df04b-c997-4a26-8546-2bd1c73e55a0	SILENZIATORI IN RESINA ACETALICA <i>SILENCERS IN ACETALIC RESIN</i>	S17..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
62f25768-cc9b-416d-8d03-d9cb4b85e66b	SUPPORTO PER CERNIERA INTERMEDIA <i>SUPPORT FOR CENTER TRUNNION</i>	ST..AISO	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
e0e47f97-3b41-42ca-8e71-51041a09c579	VALVOLE A SFERA <i>BALL VALVES</i>	MS.., MVS.. VLO..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
4fa55ab6-d76e-47c9-8450-2fc11c69e63b	VALVOLE DI SCARICO RAPIDO <i>QUICK-EXHAUST VALVES</i>	VSR..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
9aeacbd0-2541-4afe-974b-790006d4e595	VALVOLE DI SICUREZZA <i>SAFETY VALVES</i>	VS.., VSC..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
bf2221e6-fe11-46ba-8fa4-b6fd5c61ac2b	VALVOLE UNIDIREZIONALI IN ACCIAIO <i>UNIDIRECTIONAL VALVES IN STEEL</i>	VUFF..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
9b77cc45-a5c7-405a-8b5d-90c6b508cfc1	ATTUATORI ROTANTI IN ALLUMINIO <i>ALUMINIUM ROTARY ACTUATORS</i>	RA..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
6e677a4b-0342-4aab-82a1-9e80e390989c	ATTUATORI ROTANTI IN ACCIAIO INOX <i>STAINLESS STEEL ROTARY ACTUATORS</i>	RAX..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
79fdefd7-9518-4604-8167-3b178ecc7075	BOX FINECORSA IN ALLUMINIO <i>ALUMINIUM LIMIT SWITCH BOX</i>	SB100.. SB200.. SB300	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%

SCIP number <i>SCIP number</i>	Descrizione <i>Description</i>	Articolo <i>Item</i>	Sostanza SVHC <i>SVHC substance</i>
141fd674-b906-40bc-b5ec-6ab345b428a3	BOX FINECORSO IN ACCIAIO INOX <i>STAINLESS STEEL LIMIT SWITCH BOX</i>	SB600.. SB800..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
c7ca978b-d60d-4654-86d9-a6a648c4cde3	REGOLATORI DI VELOCITA' <i>SPEED REGULATORS</i>	PNRDA..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
d769fe4a-d4ae-4f6c-8723-37690d832446	REGOLATORI DI VELOCITA' <i>SPEED REGULATORS</i>	PNRSR..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
97f6093f-a979-46ce-ad07-cfab62edef01	PIASTRE PER REGOLATORI DI VELOCITA' <i>PLATES FOR SPEED REGULATORS</i>	PNF..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
0b35f3a7-baa1-46c3-8165-b34289ff3193	RIDUTTORI MANUALI IN ALLUMINIO DISINSERIBILI <i>DECLUTCHABLE ALUMINIUM HANDWHEEL GEARBOX</i>	GBD..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
fcf66a3a-6b7d-47a6-ac39-2e8d7160e559	RIDUTTORI MANUALI IN ALLUMINIO SENZA SBLOCCO <i>ALUMINIUM HANDWHEEL GEARBOX WITHOUT DECLUTCH</i>	GBSS..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
e1c4da3e-d96c-4c10-9fc0-421ea358be4d	RIDUTTORI MANUALI IN ALLUMINIO SENZA SBLOCCO CON FINECORSO INTEGRATO <i>ALUMINIUM HANDWHEEL GEARBOX WITHOUT DECLUTCH WITH INTEGRATED LIMIT SWITCH</i>	GBFC..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%
63130046-3b6b-4425-b827-cda4966f16ef	DISTANZIALI IN ALLUMINIO <i>ALUMINIUM DISTANCERS</i>	DVF..	CAS: 7439-92-1 Piombo 1-10% CAS: 7439-92-1 Lead 1-10%

L'uso normale o ragionevolmente prevedibile dell'articolo non comporta il rilascio intenzionale di sostanza SVHC e quindi di particolari cautele. Si consiglia di non sottoporre l'articolo a lavorazioni meccaniche quali ad esempio il taglio o la foratura che potrebbero causare l'esposizione alla sostanza SVHC citata o la sua dispersione nell'ambiente.

The normal or reasonably foreseeable use of the article does not involve the intentional release of the SVHC substance and therefore of particular precautions. It is advisable not to subject the article to mechanical processing such as cutting or drilling which could cause exposure to the SVHC substance mentioned or its dispersion in the environment.

Durante la fase di smaltimento dell'articolo, in caso di accumulo di piombo negli impianti di trattamento, la rimozione deve avvenire in accordo alla legislazione ambientale vigente. Eventuali residui pulverulenti e/o in forma massiva non devono entrare nella rete fognaria.

During the disposal phase of the article, in case of accumulation of Leads in the treatment plants, the removal must take place in accordance with the environmental legislation in force. Any dusty and/or massive residues must not enter the sewer system.

Se in futuro si rinvenissero modifiche a tale dichiarazione, Vi informeremo in ottemperanza all'articolo 33 del Regolamento REACH.

If changes to this declaration are found in the future, we will inform you in compliance with Article 33 of the REACH Regulation.

Carbonate, 20/05/2025

In fede / *In witness whereof*

Il Legale Rappresentante / *The Managing Director*

SAF s.r.l.



SAF S.r.l. con unico socio
Azienda certificata
UNI EN ISO 9001 : 2015

Headquarter
Via Dante, 79/D - 22070 Carbonate (CO) - Italy
T. +39.0331.83.73.15 - F. +39.0331.83.44.99
info@safsinter.it - **safsinter.it**

Legal office
Via Camillo Hajech, 6 - 20129 Milano (MI) - Italy
C.F. e P. Iva 05598530961 - R.E.A. MI 1833627
Cap. Soc. € 12.000,00 I.V.